

WMN BIKES SPECIFICATIONS & GEOMETRIES 2017

SPECIFICATIONS ULTIMATE WMN CF SLX DISC

	ULTIMATE WMN CF SLX DISC 8.0 TEAM CSR	ULTIMATE WMN CF SLX DISC 8.0	ULTIMATE WMN CF SLX DISC 8.0 Di2	ULTIMATE WMN CF SLX DISC 9.0 TEAM CSR
PRICE	2.999 €	3.399 €	4.299 €	6.199 €
FRAME	Canyon Ultimate WMN CF SLX	Canyon Ultimate WMN CF SLX	Canyon Ultimate WMN CF SLX	Canyon Ultimate WMN CF SLX
FORK	Canyon One One Four SLX Disc	Canyon One One Four SLX Disc	Canyon One One Four SLX Disc	Canyon One One Four SLX Disc
GROUPSET	SRAM Force	Shimano Ultegra	Shimano Ultegra Di2	SRAM RED eTap
WHEELS	DT Swiss PR 1600 Spline DB 23	DT Swiss PR 1400 DICUT DB 21	DT Swiss PR 1400 DICUT DB 21	Reynolds Assault LE
TYRES	Schwalbe Pro One, 25mm	Schwalbe Pro One, 25mm	Schwalbe Pro One, 25mm	Schwalbe Pro One, 25mm
GEAR RATIOS	50/34 - 11-32, 52/36 for 3XS and 2XS	50/34 - 11-32, 52/36 for 3XS and 2XS	50/34 - 11-32, 52/36 for 3XS and 2XS	50/34 - 11-32, 52/36 for 3XS and 2XS
STEM	Canyon V13	Canyon V13	-	-
BAR	Canyon H17 Ergo AL	Canyon H17 Ergo AL	Canyon H31 Ergocockpit	Canyon H31 Ergocockpit
SADDLE	Selle Italia SLS Lady Flow	Selle Italia SLS Lady Flow	Selle Italia SLS Lady Flow	Selle Italia SLS Lady Flow
SEATPOST	Canyon S13 VCLS CF (15-35 mm Setback)	Canyon S13 VCLS CF (15-35 mm Setback)	Canyon S13 VCLS CF (15-35 mm Setback)	Canyon S13 VCLS CF (15-35 mm Setback)
COLOURS	Stealth, CANYON//SRAM Racing	Stealth	Stealth	Stealth, CANYON//SRAM Racing

GEOMETRY ULTIMATE WMN CF SLX DISC

FRAME SIZE	3XS	2XS	XS	S	M
SEAT TUBE LENGTH (MM)	406	436	466	496	526
TOP TUBE LENGTH (MM)	491	501	521	537	555
HEAD TUBE LENGTH (MM)	100	119	113	133	154
HEAD TUBE ANGLE (°)	70.5	71.5	71	72.25	72.25
SEAT TUBE ANGLE (°)	73.83	73.82	73.83	73.82	73.8
CHAINSTAY LENGTH (MM)	415	415	415	415	415
WHEELBASE (MM)	956	959	981	986	999
STACK (MM)	485	506	528	551	573
REACH (MM)	350	355	368	378	389
STR	1.38	1.43	1.43	1.46	1.47
SPACERS (MM)	27.5	27.5	27.5	27.5	27.5
STEM (MM)	70	80	80	90	100
HANDLEBAR WIDTH (MM)	380	380	380	400	400
CRANK ARM LENGTH (MM)	165	165	170	172.5	172.5
SEATPOST DIAMETER (MM)	27.2	27.2	27.2	27.2	27.2
SEATPOST LENGTH (MM)	350	350	350	350	350
WHEEL SIZE	650B	650B	700C	700C	700C



SPECIFICATIONS ENDURACE WMN CF SL DISC

	ENDURACE WMN CF SL DISC 7.0	ENDURACE WMN CF SL DISC 8.0	ENDURACE WMN CF SL DISC 9.0 SL	ENDURACE WMN CF SL DISC 9.0 LTD
PRICE	1.999 €	2.499 €	4.699 €	5.899 €
FRAME	Canyon Endurace WMN CF SL	Canyon Endurace WMN CF SL	Canyon Endurace WMN CF SL	Canyon Endurace WMN CF SL
FORK	Canyon One One Four SLX Disc	Canyon One One Four SLX Disc	Canyon One One Four SLX Disc	Canyon One One Four SLX Disc
GROUPSET	Shimano 105	Shimano Ultegra	SRAM RED eTap	SRAM RED eTap
WHEELS	DT Swiss PR 1600 Spline DB 23	DT Swiss E 1800 Spline DB 23	DT Swiss E 1600 Spline DB 23	Reynolds Assault LE
TYRES	Schwalbe Pro One, 25mm	Schwalbe Pro One, 25mm	Schwalbe Pro One, 25mm	Schwalbe Pro One, 25mm
GEAR RATIOS	50/34 - 11-32, 52/36 for 3XS and 2XS	50/34 - 11-32, 52/36 for 3XS and 2XS	50/34 - 11-32, 52/36 for 3XS and 2XS	50/34 - 11-32, 52/36 for 3XS and 2XS
STEM	Canyon V13	Canyon V13	-	-
BAR	Canyon H17 Ergo AL	Canyon H17 Ergo AL	Canyon H31 Ergocockpit	Canyon H31 Ergocockpit
SADDLE	Selle Italia X1 Lady Flow	Fizik Luce	Fizik Luce	Fizik Luce
SEATPOST	Canyon S23 VCLS	Canyon S15 VCLS 2.0 CF	Canyon S15 VCLS 2.0 CF	Canyon S15 VCLS 2.0 CF
COLOURS	Stealth Shiny, Aquamarin	Stealth Shiny, Aquamarin	Stealth Shiny	Stealth Shiny, Aquamarin

GEOMETRY ENDURANCE WMN CF SL DISC

FRAME SIZE	3XS	2XS	XS	S	M
SEAT TUBE LENGTH (MM)	402	432	462	492	522
TOP TUBE LENGTH (MM)	492	502	522	535	551
HEAD TUBE LENGTH (MM)	109	129	124	143	164
HEAD TUBE ANGLE (°)	70.0	70.8	70.3	71.5	72.5
SEAT TUBE ANGLE (°)	73.5	73.5	73.5	73.5	73.5
CHAINSTAY LENGTH (MM)	415	415	415	415	415
WHEELBASE (MM)	957	962	983	986	993
STACK (MM)	494	515	538	561	584
REACH (MM)	346	349	362	369	378
STR	1.4	1.5	1.5	1.5	1.5
SPACERS (MM)	27.5	27.5	27.5	27.5	27.5
STEM (MM)	70	80	80	80	90
HANDLEBAR WIDTH (MM)	380	380	380	380	400
CRANK ARM LENGTH (MM)	165	165	170	172.5	172.5
SEATPOST DIAMETER (MM)	27.2	27.2	27.2	27.2	27.2
SEATPOST LENGTH (MM)	350	350	350	350	350
WHEEL SIZE	650B	650B	700C	700C	700C



SPECIFICATIONS ENDURACE WMN AL DISC

	ENDURACE WMN AL DISC 6.0	ENDURACE WMN CF SLX DISC 7.0
PRICE	1.499 €	1.699 €
FRAME	Canyon Endurance WMN AL Disc	Canyon Endurance WMN AL Disc
FORK	Canyon One One Eight SL Disc	Canyon One One Eight SL Disc
GROUPSET	Shimano 105	Shimano Ultegra
WHEELS	DT Swiss E 1800 Spline DB 23	DT Swiss E 1800 Spline DB 23
TYRES	Schwalbe Pro One, 25mm	Schwalbe Pro One, 25mm
GEAR RATIOS	50/34 - 11-32, 52/36 for 3XS and 2XS	50/34 - 11-32, 52/36 for 3XS and 2XS
STEM	Canyon V15	Canyon V15
BAR	Canyon H17 Ergo AL	Canyon H17 Ergo AL
SADDLE	Selle Italia X1 Lady Flow	Selle Italia X1 Lady Flow
SEATPOST	Canyon S23 VCLS	Canyon S13 VCLS CF (15 - 35 mm Setback) Canyon S23 VCLS
COLOURS	Stealth Aqua, Electric Crimson	Stealth Aqua, Electric Crimson

GEOMETRY ENDURANCE WMN AL DISC

FRAME SIZE	3XS	2XS	XS	S	M
SEAT TUBE LENGTH (MM)	402	432	462	492	522
TOP TUBE LENGTH (MM)	495	504	521	537	554
HEAD TUBE LENGTH (MM)	118	138	133	153	173
HEAD TUBE ANGLE (°)	70.0	70.8	70.3	71.5	72.5
SEAT TUBE ANGLE (°)	73.5	73.5	73.5	73.5	73.5
CHAINSTAY LENGTH (MM)	415	415	415	415	415
WHEELBASE (MM)	961	965	984	989	996
STACK (MM)	502	524	546	570	593
REACH (MM)	347	349	359	369	378
STR	1.4	1.5	1.5	1.5	1.6
SPACERS (MM)	27.5	27.5	27.5	27.5	27.5
STEM (MM)	80	80	80	80	90
HANDLEBAR WIDTH (MM)	380	380	380	380	400
CRANK ARM LENGTH (MM)	165	165	170	172.5	172.5
SEATPOST DIAMETER (MM)	27.2	27.2	27.2	27.2	27.2
SEATPOST LENGTH (MM)	350	350	350	350	350
WHEEL SIZE	650B	650B	700C	700C	700C



COPYRIGHT

PRODUCED BY

CANYON BICYCLES GMBH
KARL-TESCHE-STRASSE 12
D-56073 KOBLENZ

WWW.CANYON.COM

All text, images and other published information are copyright of Canyon Bicycles GmbH or have been given permission by the right holder if stated otherwise. All indications without engagement. Errors and omissions excepted.

©CANYON 2017

